



CE

Pegaz

Operation and maintenance manual

Edition 4 of 2021-05-10

Special stroller Pegaz

Compact umbrella type stroller



ATTENTION! Users with sight, reading or cognitive impairment are requested to report to the Manufacturer in order to obtain information in the appropriate format.

Purpose of the Manual

The operation and maintenance manual contains basic information necessary for the correct use of the Pegaz stroller, including the principles of safe use, description of its construction, operation and adjustment, preparation of the stroller for operation, how to maintain and clean the stroller, and warranty conditions.

It is designed for people who directly care of children with disabilities (childcare assistants, parents, guardians), which will be transported in a stroller. It is also intended for doctors and physiotherapists operating the stroller.

ATTENTION! Before using the stroller, each User is obliged to read the manual and act in accordance with its guidelines.

This manual is an integral part of the product and must always be attached to the product wherever being sold. **Keep this manual for future reference!** Keep the manual in an easily accessible place. The manual in the electronic version is available on the website www.mywam.eu

ATTENTION! In the event of any medical incidents related to the presence of the Pegaz stroller, the Manufacturer must be immediately notified in writing by contacting it via registered letter or e-mail with acknowledgment of receipt.

Manufacturer's contact details:

- Postal address: MyWam sp.j., ul. Szczecińska 10, 41-516 Chorzów, Poland
- contact phone number: +48 32 733 11 31
- e-mail address: <u>mywam@mywam.pl</u>

User and maintenance manual version: EN edition 2 / 2021-05-10

MyWam Kupiec, Bartold, Angres sp.j. reserves the right to make technical and commercial changes to the content of the Operation and Maintenance Manual without prior notice. Each change will be determined by the date the instructions were last updated .



Tab	le of Co	ontents	
•	Introd	uction	. 5
	1. P	urpose of the Pegaz stroller	. 5
	2. B	asic information about the Pegaz stroller	. 5
	3. Q	uick start	. 6
•	Safety		. 7
	4. In	nportant safety instructions and rules	. 7
	5. Id	lentification plate	. 8
	6. W	/arning lables	. 8
	7. Sy	ymbols designation	. 8
•	Produc	ct	. 9
	8. G	eneral construction of the stroller	. 9
	9. C	onfiguration and use - stroller frame	10
	9.1.	Unfolding the stroller	10
	9.2.	Folding the stroller	10
	9.3.	Front double wheels (solid wheels). Traveling direction lock function	11
	9.4.	Rear double wheels (solid wheels). Independent brakes system.	11
	9.5.	Amortisation system for all four double wheels	11
	9.6.	Tilting foot	12
	9.7.	Adjustable ergonomic handles to push the stroller	12
	9.8.	Footrest. Regulation and use	12
	9.9.	Seat depth regulation.	13
	9.10.	Backrest hight adjustment	13
	9.11.	Backrest tilt angle adjustment	14
	10.	Standard equipment	15
	10.1.	Five points safety belts	15
	10.2.	Transport lock	15
	10.3.	Safety barrier	16
	10.4.	Shopping basket	16
	10.5.	Wedge	
	10.6.	Abduction and stabilizing belts	17
	11.	Additional equipment	
	11.1.	Adjustable canopy with window	
	11.2.	Therapeutic table	
	11.3.	Loin cushion	18
	11.4.	Headrest	18
	11.5.	Narrowing pads	
	11.6.	Tourist bag	
	11.7.	Raincover	
	11.8.	Mosquito net	
	11.9.	Sleeping bag	
	11.10.	Sunshade	
	12.	Technical specification of Pegaz stroller	21



12.1.	Material composition of the stroller 21
13.	Delivery and tools 21
14.	Assembly and disassembly of the stroller 22
15.	Preparation for use 23
16.	Using the stroller
16.1.	Carrying the stroller
16.2.	Getting on and off the stroller 23
16.3.	Correct position in a stroller 24
16.4.	Riding in a stroller
16.5.	Moving on slopes
16.6.	Overcoming thresholds or curbs24
16.7.	Transport in a car and other vehicles24
16.8.	Cleaning and care
17.	Storage of the stroller
17.1.	Preparation of the stroller for long-term storage25
17.2.	Corrosion protection
18.	Re-use
19.	Service and periodic inspections 26
20.	Disposal27
21.	Compliance with requirements for medical devices
22.	Notes
23.	List of authorized service points
24.	Warranty Card



Introduction

Thank you for purchasing special Pegaz Special Stroller. We hope that it will be the cause of many wonderful moments with your child and will be helpful every day. We make every effort to ensure that our products meet your expectations and the highest standards. We encourage you to contact our employees and follow us on our website <u>www.mywam.eu</u> and on social media. There you can find out many interesting things about our products.

1. Purpose of the Pegaz stroller

"Pegaz" is a multifunctional stroller for disabled children. The stroller is based on a frame made of aluminum and steel elements. Equipped with cushioned suspension of front and rear wheels, "Pegaz" is a stroller for children and teenagers up to a weight of 40 kg. The product is equipped with a number of accessories improving the functionality and comfort of use, such as: table, safety belts, wedge, hood, mosquito net, sleeping bag, shopping bag, etc.

The "Pegaz" stroller is a medical device indicated for use by disabled children who, due to their health condition, cannot walk or sit down on their own. The product is intended for the transport and movement of the above persons in a sitting or lying position and for posture correction and this is its intended use.

Clinical indications include cerebral palsy, meningeal hernia, dystrophies, paresis, etc.

The product is intended for users 80-140cm height. Users cannot drive the stroller alone, but only with the help of a guardian. The stroller can be used indoors and outdoors, on various surfaces (asphalt, concrete, stone, gravel) and in various weather conditions. Any other use of the product than described is forbidden. The product should be used in accordance with the recommendations of the attending physician or physiotherapist. The stroller must be used together with the instructions for use only by adults caring for the user. Young people and children as well as any other persons without proper training should not use the product.

2. Basic information about the Pegaz stroller

The Pegaz stroller has many options, e.g.

- backrest tilt angle adjustment see point 9.11
- seat depth adjustment.....see point 9.9
- backrest height adjustment extensions.....see point 9.10
- footrest adjustment..... see point 9.8
- narrowing inserts see point 11.5
- additional equipment see point 11



3. Quick start

The advantage of the Pegaz stroller is its ease of use and compactness. It can be prepared for use in a few simple steps (Fig. 3.1):



Fig. 3.1



Safety

4. Important safety instructions and rules

<u>General tips:</u>

- It is forbidden to use the stroller in a way for which the stroller is not dedicated.
- The product contains small parts that can be dangerous if swallowed by a child!
- Due to the large adjustment possibilities of the stroller, during the angular adjustment of the seat and angular adjustment of the backrest, it is possible to set the position in which the child's head is below the pelvic line. It is forbidden to use this position as it could lead to the risk of the child choking.
- It is forbidden to put additional weight on the stroller, especially when it comes to placing an additional weight on the back of the backrest, e.g. a backpack or a bag. This may cause the Pegza stroller to tip over and injure the user! It does not apply to original accessories dedicated to the Pegaz stroller that do not exceed the permissible load. All additional elements attached to the stroller affect its stability.
- ATTENTION! Depending on the adjustments made for the Pegza stroller it concerns the setting of the stroller's push handle, backrest height adjustment, backrest angular adjustment, seat depth adjustment, seat angle adjustment, footrest angle adjustment and footrest adjustment this stroller may exceed the recommended dimensions.
- ATTENTION! Each time the stroller is used, the steps listed below must be performed and the stroller must not be used in the event of any irregularities. In such a situation, it is recommended to urgently contact the Seller and the Manufacturer for advice.
- ATTENTION! When driving through doors or similar restrictions restricting the direction of travel of the stroller, make sure that there is adequate space on both sides of the stroller to prevent pinching of hands or other body parts and to prevent damage to the stroller.

ATTENTION!

- Never leave your child unattended in a stroller, as there is a risk of injury and there is a risk of accident!
- This product is not suitable for running, skating or roller-skating
 - This stroller is not intended as a seat in a motor vehicle
 - Beware of gaps and moving parts risk of jamming
 - Do not carry the stroller with the child inside it
 - The stroller is packed in a plastic bag. The plastic bag is not a toy and should be kept away from infants and young children as it may cause suffocation when put on a head.

ATTENTION! It is forbidden to use the stroller if the technical condition of the stroller or a single element of the stroller is bad or the user has any doubts about it, the stroller is damaged or there is a suspicion that damage has occurred or if the operation of the stroller is not correct. In such a situation, it is recommended to urgently contact the Seller and the Manufacturer for advice.



5. Identification plate

- The identification plate contains basic information about the product: name, model, serial number (ID no.), maximum load, manufacture date, CE mark, warning about proceeding in accordance with the Operation and Maintenance Manual and manufacturer's data (see Fig. 5.1).
- The identification plate is located on the rear parts of the intersecting of the frame

6. Warning lables

- The warning label contains important warnings for the user (see Fig. 6.1).
- The warning lable is located on the rear parts of the intersecting of the frame



Fig. 5.1

Fig. 6.1

7. Symbols designation

SN	Product serial number	The N	lanufacturer's name
Ŕ	Permitted total user weight		
M	Date of manufacture	symbo	RIPTION "WARNING!" and the of in this manual are used to
CE	Conformity assessment mark according to applicable European regulations and directives	conter compl this de	enhance the reader's attention to the content marked with this sign. Non- compliance with content marked with this description may endanger the health
	Warning about proceeding in accordance with the product Operation and Maintenance Manual		afety of the user and accompanying ns, and may also damage the ict



Product

8. General construction of the stroller

The Pegaz stroller consists of one part - the frame with the backrest and the seat, which are its integral part. Pegaz offers a wide range of accessories that help to meet individual needs of the users.

• Standard equipment



 Ergonomic handles for pushing the stroller see point 9.7 Backrest height adjustment mechanism see point 9.10 Mechanism for adjusting the backrest angle see point 9.11
4- Transport lock see point 10.2
5- Upholstery
6- Shopping basket see point 10.4
7- Independent brakes on the rear wheels see point 9.4
8- Four wheel amortization system see point 9.5
9- Front wheels direction locker see point 9.3
10-Set of 4 double solid gel wheels see point 9.3 i 9.4
11-Adjustable, detachable footrest see point 9.8
12-Seat depth adjustment mechanism see point 9.9
13-Abduction and stabilizing belts see point 10.6
14-Wedge see point 10.5
15-Safety barrier see point 10.3
16- Five points savety belts see point 10.1

• Accessories

17- Tourist bag see point 11.6
18- Sleeping bag for legs see point 11.9
19- Narrowing inserts see point 11.5
20- Headrest see point 11.4
21- Sunshade see point 11.10
22- Adjustable canopy with windowsee point 11.1
23- Raincover see point 11.7
24- Mosquito net see point 11.8
25- Loin pad see point 11.3
26- Therapy table see point 11.2





9. Configuration and use - stroller frame

9.1. Unfolding the stroller

Before unfolding the Pegaz stroller, make sure that all four wheels are on the ground. In order to unfold the stroller, you must first remove the transport lock located on the right side of the stroller. Then, holding the push handles, lift the upper part of the backrest, while gently sliding the handles outward. The next step is to loosen the stroller structure by lowering the struts (located at the front of the stroller at the height of the shopping basket and at the back of the stroller behind the backrest. You should push them down until they reach the horizontal position.

9.2. Folding the stroller

To assemble the stroller, first remove all accessories. Next, pull up the struts located between the front wheels at the height of the shopping basket (Fig. 9.1.2) and at the back of the stroller behind the backrest (Fig. 9.1.3). The next step is to push the handles inwards (Fig. 9.1.4) and to push simultaneously the upper part of the stroller forward and down (Fig. 9.1.5). This results in the folding of the stroller. To secure it, fasten the transport lock (Fig. 9.1.6) located on the right side of the stroller.



Fig. 9.2.1 Basic position of the strut



Fig. 9.2.2 Raising the lower strut



Fig. 9.2.3 Raising the upper strut



Fig. 9.2.4 Pushing handles inwards



Fig. 9.2.5 Folding the stroller



Fig. 9.2.6 Closing transport lock



9.3. Front double wheels (solid wheels). Traveling direction lock function.

The front wheels are an integral part of the frame and can be removed for replacement.

• **Direction lock function**. In the event of uneven surfaces, moving on sloping surfaces, when crossing thresholds or curbs, it is recommended to install the lock and block the turning of the front wheels. In order to block the steering function of the front wheels, the button between the front wheels should be raised (Fig. 9.3.1). To re-enable the steering wheel turning function, push it down (Fig. 9.3.2) and place the lock in the slot.



Fig. 9.3.1 Direction block on

Fig. 9.3.2 Direction block off

9.4. Rear double wheels (solid wheels). Independent brakes system.

The rear wheels are an integral part of the frame and can be removed for replacement.

• **Independent brakes system.** The rear wheels are equipped with two independent brakes located behind each wheel. To apply each brake press both pedals down (Fig. 9.4.1). To unblock the brakes, pull both pedals up (Fig. 9.4.2).



Fig. 9.4.1 Wheel brake on

Fig. 9.4.2 Wheel brake off



Fig. 9.5. Amortisation system

9.5. Amortisation system for all four double wheels

All four wheels of the Pegaz stroller are equipped with an amortisation system. It works automatically and should not be modified by the user (Fig. 9.5).



9.6. Tilting foot

The Pegaz stroller can be equipped with a tilting foot included in the additional equipment. The tilting foot makes it easy to maneuver the stroller when it encounters small obstacles, e.g. stairs, curbs. To raise the front wheels, press the tilting foot pedal and pull both handles toward you.

9.7. Adjustable ergonomic handles to push the stroller

The Pegaz stroller is equipped with adjustable push handles. In order to change their angle, press the buttons located at their ends and rotate to change their angle of inclination (Fig. 9.7.1 and 9.7.2). After placing both handles in a suitable position, release the pressure. The handles can change position every 90 degrees.





Fig. 9.6. *Tilting foot*

Fig.9.7.1 **Fig.** 9.7.2 Handle to push – position a Handle to push – position b

9.8. Footrest. Regulation and use

• **Installation.** To mount the footrest, slide it onto the mounting pins located at the bottom of the frame at several height levels. A click sounds when the fastening hooks come into place. After mounting the footrest, make sure that it is properly attached. To check this, pull the footrest vigorously up - it should stay at the same position.

• Disassembly. To remove the footrest, press the two release buttons placed on the sides of the

footrest at the same time and lift the footrest. The stroller can not be used without a footrest.

• Use of a footrest. It is recommended to adjust the footrest plate properly. Child's feets should rest freely on it with its entire surface. Also child's thighs should lie parallel to the seat surface (Fig. 9.8.1 and 9.8.2). There are straps in the footrest plate to secure the child's feet. It is recommended to put them on when using the stroller. The footrest plate is placed in a horizontal position as standard. However, during transport, storage, rehabilitation, getting



Fig. 9.8.1 *Minimal position*



Fig. 9.8.2 *Maximal position*

on and off the Pegaz stroller, the footplate must be removed.



9.9. Seat depth regulation.

Pegaz stroller has the function of adjusting the seat depth. Thanks to the possibility of unfolding its front part, we can extend the seating area by 5cm. To do this, press both buttons located on the sides of the front part of the seat simultaneously and bend the adjustable element to obtain the position of the main part of the seat (Fig. 9.9.1). To fold the seat, press the buttons located on the sides of the front part of the seat simultaneously and fold the adjustable element down or under the main part of the seat (Fig. 9.9.2).



Fig. 9.9.1 Seat depth regulation – minimal position



Fig 9.9.2 Seat depth regulation – maximal position

9.10. Backrest hight adjustment

The Pegaz stroller has the function of adjusting the backrest height (Fig. 9.10.1). Thanks to the option of installing metal extensions to the upper part of the backrest, we can extend the backrest by 10cm. To do this, detach the upper part of the backrest upholstery, insert the extension into the holes of the backrest tubes and fasten the upper part of the upholstery again (Fig. 9.10.2).



Fig. 9.10.1 Backrest hight regulation max / min



Fig. 9.10.2 Extensions



9.11. Backrest tilt angle adjustment

The Pegaz stroller has the function of a two-stage regulation of the backrest angle (Fig. 10.11.1 and 10.11.2). To adjust it, release the strut located directly behind the backrest by lifting it up (Fig. 10.11.3), move down the backrest mounts located on the sides of the frame and tilt the backrest from the basic position to the reclined position (Fig. 10.11.4). In order to lock the deflected position, the strut should be locked again by lowering it down and pressing it properly (Fig. 10.11.5).





Fig. 10.11.1 Backrest tilt angle regulation – basic position

Fig. 10.11.2 Backrest tilt angle regulation – modified position




Fig. 10.11.3 Release of the spreader

Fig. 10.11.4 Lowering mounts

Fig. 10.11.5 Locking the spreader



10. Standard equipment

10.1. Five points safety belts

The Pegaz stroller comes standard with professional, five-point adjustable seat belts (Fig. 10.1.1).



Fig. 10.1.1Fig. 10.1.2Safety belts adjustment – minimumSafety belts adjustment - maximum

• Adjustment. Adjust the five-point belts to your child before attaching them. To adjust the length of the straps, move the adjusters on the straps up or down and move the protectors (Fig. 10.1.1 and 10.1.2) accordingly. To adjust the height of the attachment of straps to the backrest, the harness attachment should be moved from the low attachment to the high attachment or conversely.

• **Use.** To attach a five-point harness to your child, put the harness on the right and left child's arm and then attach both harnesses to the belt buckle that is fastened on the seat. To remove the five-point belts from your child, press the button, on the buckle and remove both braces from the buckle, then slowly remove these braces from the right and left child's arm. Each time you change the angle of the backrest, you need to readjust the belts lenght.

10.2. Transport lock

The stroller is equipped with a transport lock, which serves to protect the folded (closed) stroller frame against its automatic opening during transport and storage. (Fig. 10.2). The transport lock must be attached after folding the frame and removed before unfolding the frame. Do not extend the stroller frame if the lock on the frame, as this may damage the the structure of the frame construction.



Fig. 10.2 Transport lock



10.3. Safety barrier



Fig. 10.3 Safety barrier

As standard equipment, the Pegaz stroller has a safety barrier that is designed to prevent a child from falling out of the stroller (Fig. 10.3). The safety barrier is used alternately with a therapeutic table (included in the additional accessories set) and is a structural element of the stroller.

• Installation. The element should be mounted on the stroller frame by using plastic latches, which look the same on both ends. After applying both latches at the appropriate height, press the them so that they completely cover the frame.

WARNING! Due to structural reasons, the stroller must have a footrest and a safety barrier or therapeutic table on.

10.4. Shopping basket

The shopping basket is part of the standard equipment of the Pegaz stroller (Fig. 10.4). It's right under the seat. Its maximum load capacity is 2kg.2kg.



10.5. Wedge

The stroller is equipped with a wedge, which should be placed between the child's thights after placing the child in the stroller. To install the wedge, attach it with Velcro on the front or back of

Fig. 10.4 Shopping basket

the apron (Fig. 10.5.1 and 10.5.2) and then wrap it with a band to strengthen it.



Fig. 10.5.1 Wedge – position maximal



Fig. 10.5.2 Wedge – position minimal



10.6. Abduction and stabilizing belts

Abduction and stabilizing belts are used for additional pelvis stabilization and prevent the child from slipping out of the stroller (Fig. 10.6). The correct way to use them is to wrap the child's thighs so that his pelvis adheres as close as possible to the backrest. This helps keep a healthier and more comfortable position of the child in the stroller.

• Adjustment. To adjust the length of the support belt, you must move the adjusters on the front belt straps up or down.

• Use. To put on abduction and stabilizing belts the child should be seated on the fitted straps, then wrap the child's leg and belt buckles fasten both to the front of the two tapes. In order to remove abduction and stabilizing belts, unfasten the belt buckles of the two front straps.



Fig. 10.6 Abduction and stabilizing belts

11. Additional equipment

$11.1.\ensuremath{\text{Adjustable canopy with window.}}$

The Pegaz stroller can be equipped with an adjustable canopy with window, that helps protect the child from the sun or rain (Fig. 11.1.1). The elements of the booth are: frame (front and rear arch), sunroof adjustment mechanism (right and left), two snaps with red buttons fastening the roof to the frame, roof upholstery, and a window with a mosquito net with a zipper.

• Installation. The fastening element for the adjustable hood with the window are two plastic elements located on the outer sides of the upper part of the frame at the height of the headrest.,To assemble the adjustable canopy with the window, set the backrest to the upright position, and then simultaneously slide both visor latches to the frame mounts. Mount the booth with the window in such a way that the back part of the booth's upholstery overlaps the back of the stroller.



Fig. 11.1.1 Adjustable canopy with window

• **Disassembly.** To disassemble the adjustable canopy with window, press the two red buttons on the canopy fastening latches, then slide the booth fasteners out of the mounts on the frame.

• **Use.** In order to change the size of the booth's window area, hold the front arch and the rear arch of the booth's frame and bring the arches closer or closer to each other to set the desired position. The mechanism adjusting the size of the booth's surface locks automatically. The booth has a removable window with a mosquito net, ensuring free air circulation. The window opens and closes with a zipper.



11.2. Therapeutic table



Fig. 11.2 Therapeutic table

11.3. Loin cushion

The Pegaz stroller can be equipped with a non-slip therapeutic table with a maximum load of 3 kg (Fig. 11.2). To assemble the table, slide the open fastening clamps onto the main element of the frame, and then tighten the clamps until they are completely closed. Make sure it is securely attached by pulling it vigorously - the table should remain in place. To disassemble the table, unfasten the clamping clamps and remove the table from the stroller frame.

The therapy table is used alternately with a safety barrier and is an essential structural element of the stroller.

WARNING! For structural reasons, the stroller must have a footrest and a railing or therapeutic table.

The loin cushion is an additional piece of equipment that increases the comfort of using the stroller by softening the backrest in the lumbar section (Fig. 11.3). The cushion is installed by attaching it to the back with velcro.

11.4. Headrest

The headrest is an element of optional equipment (Fig. 11.4). It performs both softening and stabilizing functions. To adjust the height of the headrest, attach the it with velcro at the correct height of the backrest. Then, for better stability, drag the headrest straps fitted with velcro through the backrest openings and attach them behind the backrest.

11.5. Narrowing pads

The Pegaz stroller is equipped with two narrowing inserts. They are used to adjust the inside dimensions of the seat width (Fig. 11.5). The inserts are mounted by attaching them with the longest vertical edge of the pad to the outer edges of the backrest and to the side elements of the stroller frame using a velcro strap



Fig. 11.3 Loin cushion



Fig. 11.4 *Headrest*



Fig. 11.5 Narrowing pads



11.6. Tourist bag

The large and elegant travel bag is mounted on two handles, located on the inside of the handle to push the stroller (Fig. 11.6). The maximum bag load is 2kg.

WARNING! Exceeding the maximum bag load has a negative effect on the stability of the stroller and there is a danger for the child and other people!



Fig. 11.6 Tourist bag

11.7. Raincover

The Pegaz stroller can be equipped with a raincover that helps protect the child from moisture (Fig. 11.7). This optional equipment requires to be installed to other optional equipment - an adjustable canopy with window.

Assembly. To install the raincover, put it on top of the entire adjustable canopy with window, and then cover the seat and footrest. After making sure that the foil is applied properly, attach it to the frame and footrest - depending on the location of the fastener.

11.8. Mosquito net

The Pegaz stroller can be equipped with a mosquito net, which prevents insects from coming into direct contact with the child (Fig. 11.8). This accessory requires to be installed to another accessory - an adjustable canopy with window.

Assembly. To install the mosquito net, put it on top of the entire adjustable hood with window, and then cover the stroller seat and footrest with a net. After making sure that the net is applied properly, attach it to the frame and footrest - depending on the location of the fastener.

11.9. Sleeping bag

The Pegaz stroller can be equipped with a sleeping bag for legs, increasing the child's comfort during colder days (Fig.11.9). This piece of equipment requires to be installed to the safety barrier.

Assembly. In order to mount the sleeping bag, put it on the footrest from below, and attach it from above through the safety barier. Then fasten it with snaps to the frame of the stroller.

11.10. Sunshade

The Pegaz stroller can be equipped with an umbrella that helps protect the child from the sun (Fig. 11.10). **Assembly.** To install the umbrella to the stroller, loosen the clamp by unscrewing the thread located on the side, then slide it on, ensuring that the rubber washer remains in place. After choosing the desired height, tighten the thread until the clamp on the stroller frame is fixed properly.





Fig. 11.7 *Raincover*



Fig. 11.8 Mosquito net







Fig. 11.10 Sunshade



12. Technical specification of Pegaz stroller

length of the stroller	90 - 108 cm
the width of the stroller	56 cm
the height of the stroller	106 - 130 cm
total weight	10kg - 19,6kg
effective seat depth	25 / 33 cm
seat width	30* / 38 cm
backrest height	50 / 60 cm
backrest width	30* / 37 cm
distance between footrest and the seat / number of adjustmentsi	20, 30, 40 cm / 3 positions
length of the stroller, folded up for transport	124 cm
width of the stroller, folded up for transport	28 cm
width of the stroller, folded up for transport hight of the stroller, folded up for transport	28 cm 39 cm
hight of the stroller, folded up for transport	39 cm
hight of the stroller, folded up for transport capacity of the shopping basket	39 cm 2 kg
hight of the stroller, folded up for transport capacity of the shopping basket carrying capacity of a tourist bag	39 cm 2 kg 2 kg
hight of the stroller, folded up for transport capacity of the shopping basket carrying capacity of a tourist bag Maximum child height	39 cm 2 kg 2 kg 80 – 140 cm
hight of the stroller, folded up for transport capacity of the shopping basket carrying capacity of a tourist bag Maximum child height Maximum child's weight	39 cm 2 kg 2 kg 80 – 140 cm 40 kg

COMMENTS: *) values shown with inserts

Measurement value tolerance +/- 20mm, +/- 1.5kg, +/- 1 °

The manufacturer reserves the right to introduce changes to the technical parameters

12.1. Material composition of the stroller

Powder coated steel and aluminium, fabrics 100% polyester and plastic (PP, PCV, ABS, PA, PE, PU).

13. Delivery and tools

The Pegaz stroller is delivered in a cardboard box and pre-assembled. The original packaging should contain the following items:

• Folded stroller frame with integrated seat, backrest and wheels, footrest, safety barrier and wedge* or abduction and stabilizing straps * (according to the order)

- Additional equipment (according to the order)
- User manual with warranty card

Before use, make sure that the package contains all the elements and none of them has been damaged, e.g. during transport. If it is found that the received package is missing or damaged, please contact the Seller and the Manufacturer in order to receive the missing elements or replace the product with a new, fully complete and functional one.

The multi-functionality and very rich equipment of the Pegaz stroller allows you to adjust the stroller to your personal requirements. To do this, read the entire instructions carefully before use.

No tools are required to assemble and disassemble the Pegaz stroller.



14. Assembly and disassembly of the stroller

Stroller assembly. The product pre-packed in the original box is already pre-assembled. Complete the installation by completing the following steps:

• unfold the stroller frame by adjusting the parameters: lower and stiffen the spreaders at the height of the backrest in the rear of the stroller and at the height of the shopping basket in the front of the stroller.

- activate / deactivate the front direction lock
- adjust the height and angle of the handle to push the stroller
- set the angle of the backrest
- adjust the length of the five-point belts
- put on a footrest at the desired height
- put on a safety barrier or a therapy table
- install appropriate equipment and adjust parameters, for example:
 - put narrowing inserts
 - o remove / install the extension on the backrest
 - o set the seat depth
 - o adjust the abduction and stabilizing belts
 - o adjust the canopy with the window
 - install and adjust the wedge
 - set up a shopping basket
 - o put on selected items of equipment dedicated to the seasons:
 - sleeping bag for the legs
 - mosquito net
 - raincover
 - umbrella

• Dismantling the stroller

- To disassemble the stroller:
- a) Remove accessories
- b) Remove the footrest
- c) Remove the safety barrier / therapy table
- d) Block the front wheels
- e) Apply the brakes to the rear wheels

f) Raise the struts at the height of the backrest in the rear of the stroller and at the height of the shopping basket in the front of the stroller

g) Fold in the truck, closing it with the transport lock



Before using the stroller:

• Check the good technical condition of the stroller and all its elements, and if the technical condition of the stroller or its single element is bad or the user has any doubts about it, then the stroller must not be used. Please contact the Seller and the Manufacturer.

PEGAZ

- Check that the stroller frame has been folded out correctly and that the folding mechanism has been properly closed (locked).
- \circ $\;$ Check that the seat is correctly attached to the stroller frame
- Check that all four wheels are properly installed and that the tread tires are in good condition on all four wheels.
- \circ $\;$ Check that the central brake is working properly and apply the brake.
- Correctly make all regulations and adjust the stroller to the child's needs, including setting the appropriate depth of the therapeutic seat and the height of the backrest, appropriate inclination of the therapeutic seat and backrest inclination, set the appropriate inclination of the footrest, adjust the appropriate tension of the belts on the backrest and on the seat, check the length of the five-point belts. Check that all adjustments are properly seated and secured.
- Check if the stroller upholstery is dry.
- Secure the child with all available stabilizing elements, such as: five-point belts, narrowing and shallowing inserts, abduction-stabilizing belts, wedge, footrest, footrest tapes, a safety barrier or a therapeutic table. This is to prevent the child from falling out and sliding out of the stroller and to prevent the child's feet from falling off the footrest. Make sure that all adjustments made earlier are suitable and safe for the child.
- Make sure that the child is not placed in the stroller without clothing that protects the body at the points in contact with the stroller's upholstery. This is to prevent chafing of the child's body and to keep the child's hygiene in mind.
- In the case of children who have problems with incontinence, a special oilcloth should be placed on the stroller seat, which can be purchased in pharmacies or medical stores.
- In the case of using any additional aids, such as vents, drains, bags, catheters, etc., make sure that they are well protected against falling out, pulling out, tightening and not interfering with the use of the stroller.

16. Using the stroller

16.1. Carrying the stroller

Appropriate way to carry a stroller is to drive it using its wheels. In cases where this is not possible (e.g. to transport the stroller in a car), for safety reasons, the stroller can be lifted and moved with both hands after dismantling all additional equipment to reduce the carrying weight and to fold the stroller properly. Be careful when moving or lifting the stroller's frame. The frame should be moved when the transport lock is folded and attached, holding it by a fixed element of the frame.

For safety reasons, do not lift the unfolded stroller with accessories, as this may damage the stroller. Do not lift the stroller by its footrest or safety barrier, therapy table or any other equipment, as this may damage the product and endanger the safety of others.

16.2. Getting on and off the stroller

Durring getting on and off the stroller, place it as close as possible to a stable and safe place where the user will change. After making sure that the rear brakes are applied and the footrest has been removed to avoid standing on it, the user can be placed in the stroller.



Do not stand on the footplate, as there is a risk of tipping over the stroller, injuring the user and damaging the product. Make sure that when getting in or out of the stroller, the child and any other person should not stand on the footrest, as this may damage it and injure the user!

16.3. Correct position in a stroller

For safety and health reasons, it is recommended to place user's pelvis and back as close as possible to the backrest to support the spine properly (optimal support of all parts of the spine so that there is no free space).

Thighs should be supported on the largest surface, along their entire length, which is used to adjust the depth of the seat of the stroller and the feet should rest on the footrest plate, which prevents slipping, maintains optimal tension of the leg muscles and carries part of the weight from higher parts of the body.

16.4. Riding in a stroller

When using the stroller, always hold it by the handles to push to prevent the stroller from rolling. Release the rear brakes while holding the push handle and push the stroller in the desired direction.

16.5. Moving on slopes

AAlways position the stroller forwards when climbing or driveways. Limit the speed on sloping surfaces and move as slowly as possible. The stroller assistant (parent, guardian) must have sufficient strength to control the stability of the stroller.

Always remember that the stroller's center of gravity changes when it overcomes unevenness or slopes on the ground. In this case, be extremely careful and secure the stroller. When using ramps, make sure that the ramp is suitable, that the wheels of the stroller are high enough to overcome the ramp, that the frame of the stroller will not touch the ramp, and that a second person should be provided as there is a risk of the stroller tipping over, damaging the product and injuring the user.

16.6. Overcoming thresholds or curbs

When overcoming small obstacles (small thresholds, small curbs, etc.), block the tilting foot with the foot and the handle to push the stroller downwards and towards you to raise the front wheels of the stroller and carefully drive the front wheels over the obstacle. Then slowly pull the push handle upwards away from the ground to raise the rear wheels of the stroller and carefully drive the rear wheels onto the obstacle.

16.7. Transport in a car and other vehicles

To transport the Pegaz stroller in the car, remove all accessories from the stroller and store them in a safe place. Then dismantle the stroller and place it in the trunk. If the dismantled stroller is not in the trunk of the car separated from the passenger compartment, then the stroller frame must be securely attached to the vehicle. For this purpose, unused seat belts may be used.

• In order to transport a stroller in other vehicles, such as trains, trams, buses, planes, ships, etc., please ask the persons responsible for transport in these means of transport about the conditions of safe travel to the destination with a stroller and the appropriate requirements.

• In order to transport the stroller on other vehicles, remove all accessories from the stroller and store them in a safe place. Then dismantle the stroller and place it in the baggage storage area of the given



vehicle. If the dismantled stroller is not in the trunk of the vehicle separated from the passenger compartment, the stroller frame must be securely attached to the vehicle.

The Pegaz stroller should not be used as a seat to transport a child in a vehicle.

16.8. Cleaning and care

The upholstery should be hand washed only (recommended water temperature – 30 degrees). Washing in a washing machine is not allowed. All stains should be cleaned immediately after.

Attention! Do not clean the upholstery with the use of any chemical compounds composed of solvents or bleaches. Manufacturer does not take any responsibility for damages caused by the use of inappropriate cleaning products.

Do not rub off – this may cause the stain to spread on a larger surface but also it may distort the texture and damage the surface.

Always be sure that the product is dry before using.









Hand wash only

Do not bleach

Do not dry in a tumble-drier position

Dry in a horizontal

Do not iron

In case of liquid stains like food, drink or mineral plant oil stains:

- dry the whole surface of the stain gently pressing it with a white paper towel, tissue or a clean, absorbent wipe or cloth
- in order not to enlarge the stain, moisten a small cloth with a light detergent solution and warm water (or cold water in case of blood stains) then rinse the stain removing it from outside in. Note that an excess amount of water may create circles on the dry and clean material afterwards. Moreover it may enlarge the stain or even damage the upholstery and the foam inside of it.
- Depending on the type of the stain and its size, the described procedure may have to be repeated. Continue this procedure till compete stain removal however always remember to remove the excess moisture before another rinse.
- Next rinse the material with lukewarm water (without detergent) and a clean sponge or clean, white cloth. Dry out.

17. Storage of the stroller

The stroller should be stored in a clean, dry and well ventilated room, preferably at 0-35 Celsius degrees.

17.1. Preparation of the stroller for long-term storage

In order to prepare the Pegaz stroller for long-term storage, secure the product and perform all service operations in the "Periodic Inspections" chapter as if they had occurred. The stroller should be stored in a clean, dry and well ventilated room.

17.2. Corrosion protection

To avoid corrosive damage to the stroller, it should not be used or left in wet and damp rooms. When the truck is wet, wipe all wet parts with a soft cloth and dry with a light oil preservative. This does not apply to the upholstery of the stroller, the provision of cleanliness and maintenance of which is described in detail in the Cleaning and care chapter.

As a standard, the stroller is covered with the highest quality coatings. In the event of damage to the varnish, protect the damage by applying a touch-up compound using the varnish proposed by the varnish Manufacturer.

Regular cleaning and lubrication of the stroller mechanisms with light oil guarantees long and trouble-free use of the stroller.

18. Re-use

The product is suitable for reuse.

All reusable products are subject to a particular burden.

Therefore, their features and performance may deviate from the new product to such an extent that the safety of patients and third parties during their use is at risk.

The product with proper care and maintenance retains its quality for a period of 3 years and this is the expected period of its use.

For secondary use, please:

- Remove all upholstered parts and replace them with new ones.
- The stroller frame with wheels and steering elements should be thoroughly cleaned and disinfected with commercially available cleaning and disinfecting agents.
- The product must then be checked by an Authorized Service Center (see Chapter 24) or the Manufacturer for wear and damage.
- All worn parts and components that do not match or are unsuitable for the user should be replaced with new ones.
- The product prepared in this way can be put back into use.

19. Service and periodic inspections

For safe and trouble-free use of the Pegaz stroller, it must be regularly and thoroughly inspected and serviced as indicated in the table below.

In a situation where the stroller user is not able to carry out the activities himself, he should return the stroller to a specialized stroller service point or directly to the Manufacturer, who will properly review and will perform necessary service activities.

These activities may be charged extra.

All repairs should be carried out in specialized, authorized Services (see point 24) or directly at the Manufacturer.

Only original spare parts that are supplied or recommended by the Manufacturer may be used in the stroller. Producenta.



Service should be performed:

Each time before using the stroller

- Check the efficiency of the central brake After activating the central brake, both rear wheels of the stroller should be locked and cannot rotate.
- Check the attachment of structural elements It is necessary to check all mechanisms of the stroller and its movable elements, in particular, pay attention to: the correct functioning of the fivepoint seat belts, properly mounted safety barrier or therapeutic table, properly locked backrest angle adjustment mechanism and footrest correct mounting. o
- Check the condition of the tires Check that the tires on all four wheels are not damaged or worn. o Inspection of solid frame parts, seat with backrest and footrest frame - Visually inspect the condition of the structural profiles. These elements must not be damaged or cracked.

Every one month

- Cleaning the stroller Clean any moving parts, bearings, adjustment mechanisms with a soft cloth and then lubricate them with a few drops of light oil. Be careful not to soil the upholstery of the stroller or your own clothes.
- Check all bolted connections for looseness Carefully check that all bolts and knobs in the stroller are properly tightened.

Every six months:

• Sprawdzenie o Check the cleanliness of the upholstery and inspect the general condition of the stroller - Do not allow the stroller to be neglected as described in the chapter "Cleaning and care".

20. Disposal

Disposal and recycling: the used stroller should be returned to a recycling center in accordance with the regulations in force in the given country.



21. Compliance with requirements for medical devices



MYWAM Kupiec, Bartold, Angres spółka jawna ul. Szczecińska 10, 41-516 Chorzów, Polska tel. 0048 32 733 11 31 www.mywam.eu



DEKLARACJA ZGODNOŚCI WE EC DECLARATION OF CONFORMITY

Producent:	MYWAM Kupiec, Bartold, Angres spółka jawna		
Manufacturer:	ul. Szczecińska 10, 41-516 Chorzów, Poland		
Produkt:	Wózek inwalidzki specjalny PEGAZ		
Product:	Specialist Stroller PEGAZ		

Deklaruję na własną odpowiedzialność, że wyrób medyczny ze znakiem CE:

Wózek inwalidzki specjalny PEGAZ

- jest sklasyfikowany jako klasa I, zgodnie z (EU) 2017/745/MDR załącznik VIII zasada 1
- wykonany jest w pełnej zgodności z następującym rozporządzeniem europejskim w tym najnowsze zmiany oraz z prawem krajowym, który je organizuje: ROZPORZĄDZENIE PARLAMENTU EUROPEJSKIEGO I RADY (UE) 2017/745 z dnia 5 kwietnia 2017 r. w sprawie wyrobów medycznych
- spełnia wymagania zasadnicze określone w: Ustawie o wyrobach medycznych z dnia 20 maja 2010 (Dz. U. nr 107, poz. 679)
- jest zgodny z odpowiednimi zharmonizowanymi normami europejskimi:

I declare under my own responsibility that the medical device with the CE mark:

Specialist Stroller PEGAZ:

- is classified as Class I, according to (EU) 2017/745/MDR Annex VIII rule 1
- is made in full compliance with the following European Regulation including the latest amendments and with the national law that organizes them: REGULATION (EU) 2017/745 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 5 April 2017 on medical devices
- meets the essential requirements set out in: Polish Medical Devices Act of 20 May 2010 (Dz. U. nr 107, poz. 679)
- is in conformity with the relevant harmonized European standards:

PN-EN 12182:2012	ISO 7176-1:2014	ISO 7176-3:2012
PN-ISO 7176-7:2001	ISO 7176-8:2014	PN-EN 1021-1:2007
PN EN 1041:2010	PN EN 14971:2012	GO & Wojciech Bart
	PN-ISO 7176-7:2001	PN-ISO 7176-7:2001 ISO 7176-8:2014

28 | Page

Chorzów, 5.05.2021/5th MAY 2021

Data/Date

Podpis/Signature

41-516 Chorz/W, ul. Szczecińska 10

www.MyWam.pl

tel. 32/733 11.31, mail: mywam@mywam.pl NIP; 627 273 67 93, Regon: 243428050 KR5: 0000417471

Nam

spólnik




22. Notes



23. List of authorized service points

POLAND

MyWam Kupiec, Bartold, Angres Sp. Jawna ul. Szczecińska 10, 41-516 Chorzów, Polska tel.: +48 32 733 11 31 website: www.mywam.eu e-mail: mywam@mywam.pl





24. Warranty Card

Warranty Card Series and number:
Date of purchase:
Seller stamp and signature:

Warranty conditions

• The manufacturer grants the buyer a warranty for the purchased stroller, for a period of 24 months from the date of purchase.

• Defects revealed during this period will be removed free of charge.

• The Buyer submitting a complaint on the stroller should deliver the stroller to the Seller or to the Manufacturer in the original factory packaging, together with the elements of the stroller protected against damage.

• Damage caused by insufficient securing of the stroller shipment and its components is not subject to warranty repairs.

• The complainant may not demand gratification if he improperly marks or incorrectly insures the shipment of the stroller and its components.

• The cost of shipping the complained stroller to the Seller or to the Manufacturer shall be borne by the buyer complaining the stroller.

• The warranty period is extended by the time needed to repair the stroller.

• The activities provided for in the manuals, which the user is obliged to perform on their own and at their own expense, cannot be performed as part of a warranty repair.

• The buyer has the right to replace the complained stroller with a new stroller if the same damages or defects that have already been removed twice and which prevent the stroller from being used are still present.

- The stroller should be used in accordance with these operating manual.
- Unauthorized use of the stroller, inconsistent with these operating manual or inconsistent with the
- principles of correct operation will void the warranty.
- Making any structural changes to the stroller will void the warranty.

• Damage to the stroller caused by: improper operation, improper maintenance, incorrect storage of the stroller, mechanical damage as well as natural abrasion and wear of parts (e.g. upholstery, wheels) are not covered by the warranty. They are repaired at the user's expense.

• The manufacturer warns against performing warranty repairs at unauthorized service facilities. Finding such repair or unauthorized alteration of the stroller will void the warranty.

• The warranty card is valid provided that it has: the date of sale entered, confirmed by the Seller's company seal, the Seller's signature, type and serial number of the stroller.

- The warranty card is valid as long as it does not contain deletions and corrections.
- The stroller manufacturer runs its paid post-warranty service.
- In matters not covered by this warranty card, the provisions of the Civil Code shall apply.
- All matters related to the warranty